

Структурированные кабели для передачи данных UTP CAT 5e - Flexible Технические характеристики



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81

Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54

Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)22948 -12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

UTP CAT 5e - Flexible

This cable is compliant to ISO 11801, TIA/EIA 568A and EN 50173

Cable Construction

Conductor	24 AWG Flexible bare copper (7x0.193mm)
Insulation	Polyolefin
Pairs	4 Twisted Pairs
Pair Colour Code	Blue / White-Blue / Orange / White-Orange / Green / White-Green / Brown / White-Brown
Sheath	PVC
Fire Safety Rating	IEC 332-1
Outside Diameter Nominal	5.6mm
Weight (Kg/Km)	34
Temperature Range	0&Mac251;C to + 50&Mac251;C (Installation) -20&Mac251;C to + 70&Mac251;C (Operational)
Standard Packaging	305m Easy pull box (10,1 kg/box) (350mm x 210mm x 350mm) 500M Plastic Reels (18kg/drum) (400mm x 200mm x 160mm)

Electrical Characteristics Standard for Category 5e

Frequency M/Hz	Attenuation dB/100m	Next dB	PSNext dB	PSELFEXT dB
1	3.15	65.3	62.3	60.8
4	6.45	56.3	53.3	48.7
10	9.90	50.3	47.3	40.8
16	12.30	47.3	44.3	36.7
20	13.80	45.8	42.8	34.7
31.25	17.70	42.9	39.9	30.9
62.5	25.65	38.4	35.4	24.8
100	33.00	35.3	32.3	20.8

Electrical Characteristics @ 20C

DC Resistance	93.8 Ohms/Km Maximum
Resistance Unbalance	2% Maximum
Mutual Capacitance	56 nF/Km Maximum
Capacitance Unbalance	1000 pF/Km Maximum
Skew	450 nsec/Km Maximum
Velocity of Propagation	-0.68c
Characteristic Impedance	100 Ohms ±15% @ 1.0 Mhz - 100Mhz

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81

Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54

Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)22948 -12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93